



CR70 VINYL SINGLE HUNG PERFORMANCE DATA: AAMA/WDMA/CSA 101/I.S.2/A440-11

Rating	LC-PG30 Type H
Air Infiltration	<0.06 cfm/ft @ 1.62 psf
Water Resistance	0 Leakage at 4.6 lb/sf
Structural Performance	45.0 psf
Frame Depth	2-3/4"
Infill Options	Maximum 3/4"
U-Values	.27 (Low E and Argon)

WINTTECH

P.O. BOX 480
 MONETT, MO 65708-0480

P: 417-235-7821
 F: 417-737-7140
 www.winttechinc.com




FULL SCALE DETAILS


WINTTECH

P.O. BOX 480
 MONETT, MO 65708-0480

P: 417-235-7821
 F: 417-737-7140
 www.winttechinc.com



TYPE: S70	QTY:
ARCH MK:	
PRODUCT: FIXED VINYL	
SINGLE HUNG	



TYPE: S70	QTY:
ARCH MK:	
PRODUCT: FX-FX VINYL	
SH-SH	


FULL SCALE DETAILS

WINTTECH


P.O. BOX 480
MONETT, MO 65708-0480

P: 417-235-7821
F: 417-737-7140
www.winttechinc.com


4 FIXED JAMB
SERIES 70 HUNG




5 FIXED JAMB
SERIES 70 HUNG




6 SASH JAMB
SERIES 70 HUNG




7 SASH JAMB
SERIES 70 HUNG




1 FIXED HEAD
SERIES 70 HUNG




2 MTG RAIL
SERIES 70 HUNG



3 SASH SILL
SERIES 70 HUNG




8 MULL STRIP
SERIES 70
FXD-FXD




FRAME DIM. 1/2" FRAME DIM.

9 MULL STRIP
SERIES 70 SH-SH




FRAME DIM. 1/2" FRAME DIM.


FULL SCALE DETAILS



10 MULL STRIP
SERIES 70
FIXED



11 MULL STRIP
SERIES 70
FIXED



12 SILL
SERIES 70
FIXED