

VENTLOK

ACCESS DOORS

ACCESS DOOR HARDWARE

OUTSIDE ILLINOIS

CALL TOLL FREE (800) 621-1207

INSIDE ILLINOIS CALL (773) 775-4477

FAX (773) 775-5065

www.ventfabrics.com

VENTFABRICS

I N C O R P O R A T E D

**5520 NORTH LYNCH AVE.
CHICAGO, IL 60630**

VENTLOK LATCHES

260 VENTLOK LATCH

This latch is designed for walk-in access doors and can be operated from both inside and outside the duct. The latch is installed by drilling a hole in the door and is held in place by sliding the adjustable spacer up against the door pan and tightening the set screw. In the case of flush-type doors, the spacer is discarded, and the combination striker and handle will both hold the latch in place and lock the door when turned.

The stud on the 260 Latch is long enough to accommodate an insulated door up to 2" thick. It comes complete with steel and sponge rubber washers to ensure easy turning and prevent leakage.


All VENTLOK Latches are made of a rustproof alloy of zinc and aluminum. *Weight per 100: 100 lbs.* Available in plain finish or chrome plated

260A VENTLOK LATCH

This latch is ideal for a situation where an access door does not need to be opened from the inside. The inner casting has a 1-1/2" beveled flange and no inside handle.

Weight per 100: 140 lbs.

260 VENTLOK LATCH



APPROXIMATELY
ACTUAL SIZE

VENTLOK HEAVY-DUTY LATCH

310 VENTLOK LATCH

This latch is designed for use on large doors in high pressure installations. The heavy 7" front lever and the sturdy door-pull against which it operates guarantee a tight closure. When in the closed position the lever compresses the door by 1/32".

Included with each latch is a zinc plated shim made from 18 gauge steel. This shim, if desired, can be used under the bearing plate to raise the level of the handle. Additional shims can be purchased separately.

This latch is available with a 4" or 6 1/2" stud. *Weight per 100: 200 lbs.* Available in plain finish or chrome plated

310 DOOR PULLS ONLY

Although a 310 Door Pull regularly is furnished with each 310

Latch, extra door pulls are frequently needed and consequently they can be purchased separately.

Weight per 100: 36 lbs. Available in plain finish or chrome plated

310 DOOR PULLS ONLY WITH "STOP" REMOVED-CHROME PLATED ONLY

Some of our customers desire our 310 Door Pull with the protruding "STOP" removed.


Weight per 100: 36 lbs.

310 SHIMS ONLY

Extra shims are sometimes needed to vary the compression of the latch or to accommodate it to certain types of doors.

Weight per 100: 6 lbs.

310 VENTLOK LATCH



VENTFABRICS
I N C O R P O R A T E D

5520 N. Lynch Avenue • Chicago, IL 60630-1483
(800) 621-1207 • (773) 775-4477 • Fax (773) 775-5065
www.ventfabrics.com